




Ningbo, China

Chonburi, Thailand

Siam Meto Co., Ltd

Add: 41/8-9 Moo 8, Bowin Sub-District, Sriracha District, Chonburi, Thailand

Ningbo Fortune Time International Trade Co., Ltd Ningbo Panyu Hardware Co., Ltd

Add: Room 1902-1, No 500 Middle Taikang Road, Yinzhou District, Ningbo, Zhejiang, China

Tel: +86-15924325866

E-mail: Sales_001@FTrade-cn.com

Web: <http://www.ftrade-cn.com>



Towing Products

Ningbo Fortune Time International Trade Co., Ltd

ABOUT US

Company Development History



1998

Established in 1998, Panyu Hardware has grown into a leading manufacturer of trailer towing products and hardware. Equipped with modern production facilities and supported by a team of highly skilled technicians, we deliver high-quality products to customers across North America and Europe.

2018

In 2018, we moved to a new, expanded production facility to support our growing business. Equipped with upgraded production lines and optimized workflows, the new plant significantly boosted our manufacturing capacity and product quality, laying a solid foundation for our future growth.

2021


Established in 2021, FTrade serves as the dedicated export department of our factory. We fully integrate manufacturing and international trade. Backed by well-established production lines and dual manufacturing bases at home and overseas, our professional team offers full-range services including order management, production supervision and logistics. We strive to be your reliable partner worldwide.

2025

In 2025, we embarked on a significant global expansion by launching multi-region supply operations, including the opening of a new factory in Thailand. A larger production facility is also currently under construction to further enhance our manufacturing capacity and better serve our international clients.



CONTENTS



01

Trailer Locks & Pins
(P07-P16)



02

Trailer Hitches & Ball Mounts
(P17-P26)




03

Trailer Hitch Balls
(P27-P30)



04

Trailer Couplers
(P31-P34)



05

Trailer Adapters & Extenders
(P35-P38)

Create Your Own Lock

01

Effective Length

- 2-3/4"
- 3-1/2"
- 4"

02

Choose Material

- Carbon Steel
- Stainless Steel
- Zinc Alloy

03

Choose Finish

- ☐ Polished Stainless
- ☐ Chrome
- ☒ Black
- ☐ Red
- ☐ Blue
- ☐ Nickel

04

Choose Pin Style

- Straight

- Bent


05

Choose Key Style

- Flat Key (Copper)


- Flat Key (Iron)

- Tubular Key


06

Choose Adapter

- Include an adapter sleeve for flexible fitting



TRAILER LOCKS & PINS



▼ Trailer Hitch Receiver Lock



Pin Style	Model No.	Pin Dia	Effective Length	Material
 Straight	FT-TW-RA001	1/2"	2-3/4"	Carbon Steel / Stainless Steel
	FT-TW-RA002	5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-TW-RA003	5/8"	3-1/2"	Carbon Steel / Stainless Steel
	FT-TW-RA004	5/8"	4"	Carbon Steel / Stainless Steel
 Straight With Adapter	FT-TW-RA005	1/2" & 5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-TW-RA006	5/8" & 3/4"	4"	Carbon Steel / Stainless Steel



Pin Style	Model No.	Pin Dia	Effective Length	Material
 Bent	FT-TW-RA007	1/2"	2-3/4"	Carbon Steel / Stainless Steel
	FT-TW-RA008	5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-TW-RA009	5/8"	3-1/2"	Carbon Steel / Stainless Steel
 Bent With Adapter	FT-TW-RA010	1/2" & 5/8"	2-3/4"	Carbon Steel / Stainless Steel



Pin Style	Model No.	Pin Dia	Effective Length	Material
 Straight	FT-TW-RA011	1/2"	2-3/4"	Carbon Steel / Stainless Steel
	FT-TW-RA012	5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-TW-RA013	5/8"	3-1/2"	Carbon Steel / Stainless Steel
	FT-TW-RA014	5/8"	4"	Carbon Steel / Stainless Steel
 Straight With Adapter	FT-TW-RA015	1/2" & 5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-TW-RA016	5/8" & 3/4"	4"	Carbon Steel / Stainless Steel




Pin Style	Model No.	Pin Dia	Effective Length	Material
 Bent	FT-TW-RA017	1/2"	2-3/4"	Carbon Steel / Stainless Steel
	FT-TW-RA018	5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-TW-RA019	5/8"	3-1/2"	Carbon Steel / Stainless Steel
 Bent With Adapter	FT-TW-RA020	1/2" & 5/8"	2-3/4"	Carbon Steel / Stainless Steel

▼ Trailer Hitch Receiver Lock



Pin Style	Model No.	Pin Dia	Effective Length	Material
 Straight	FT-CT-RA001	1/2"	2-3/4"	Carbon Steel / Stainless Steel
	FT-CT-RA002	5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-CT-RA003	5/8"	3-1/2"	Carbon Steel / Stainless Steel
	FT-CT-RA004	5/8"	4"	Carbon Steel / Stainless Steel
 Straight With Adapter	FT-CT-RA005	1/2" & 5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-CT-RA006	5/8" & 3/4"	4"	Carbon Steel / Stainless Steel



Pin Style	Model No.	Pin Dia	Effective Length	Material
 Bent	FT-CT-RA007	1/2"	2-3/4"	Carbon Steel / Stainless Steel
	FT-CT-RA008	5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-CT-RA009	5/8"	3-1/2"	Carbon Steel / Stainless Steel
	FT-CT-RA010	1/2" & 5/8"	2-3/4"	Carbon Steel / Stainless Steel
 Bent With Adapter				

▼ Trailer Hitch Receiver Lock



Pin Style	Model No.	Pin Dia	Effective Length	Material
 Straight	FT-MT-HL001	1/2"	2-3/4"	Carbon Steel / Stainless Steel
	FT-MT-HL002	5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-MT-HL003	5/8"	3-1/2"	Carbon Steel / Stainless Steel
	FT-MT-HL004	5/8"	4"	Carbon Steel / Stainless Steel
 Straight With Adapter	FT-MT-HL005	1/2" & 5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-MT-HL006	5/8" & 3/4"	4"	Carbon Steel / Stainless Steel



Pin Style	Model No.	Pin Dia	Effective Length	Material
 Bent	FT-MT-HL007	1/2"	2-3/4"	Carbon Steel / Stainless Steel
	FT-MT-HL008	5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-MT-HL009	5/8"	3-1/2"	Carbon Steel / Stainless Steel
	FT-MT-HL010	1/2" & 5/8"	2-3/4"	Carbon Steel / Stainless Steel
 Bent With Adapter				

▼ Trailer Hitch Receiver Lock



Pin Style	Model No.	Pin Dia	Effective Length	Material
 Straight	FT-CT-HL001	1/2"	2-3/4"	Carbon Steel / Stainless Steel
	FT-CT-HL002	5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-CT-HL003	5/8"	3-1/2"	Carbon Steel / Stainless Steel
	FT-CT-HL004	5/8"	4"	Carbon Steel / Stainless Steel
 Straight With Adapter	FT-CT-HL005	1/2" & 5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-CT-HL006	5/8" & 3/4"	4"	Carbon Steel / Stainless Steel



Pin Style	Model No.	Pin Dia	Effective Length	Material
 Bent	FT-DB-HL001	1/2"	2-3/4"	Carbon Steel / Stainless Steel
	FT-DB-HL002	5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-DB-HL003	5/8"	3-1/2"	Carbon Steel / Stainless Steel
 Bent With Adapter	FT-DB-HL004	1/2" & 5/8"	2-3/4"	Carbon Steel / Stainless Steel
	FT-DB-HL005	1/2" & 5/8"	3"	Carbon Steel / Stainless Steel

▼ Trailer Hitch Receiver Lock



Model No.	Pin Dia	Effective Length	Material	Finish
FT-RA-HL001	5/8"	2-3/4"	Carbon Steel	Chrome



Model No.	Pin Dia	Effective Length	Material	Finish
FT-XD-HL001	5/8"	4"	Carbon Steel	Chrome
FT-XD-HL002	5/8"	4"	Carbon Steel	Chrome



Model No.	Pin Dia	Effective Length	Material	Finish
FT-RS-SL001	5/8"	2"	Carbon Steel	Chrome






▼ Trailer Hitch Coupler Lock



Pin Style	Model No.	Pin Dia	Effective Length	Material
 Straight	FT-MT-CL001	1/4"	7/8"	Carbon Steel / Stainless Steel
	FT-MT-CL002	1/4"	2-1/2"	Carbon Steel / Stainless Steel
	FT-MT-CL003	1/4"	3-1/2"	Carbon Steel / Stainless Steel

▼ Trailer Coupler Lock(Padlock)



Model No.	Pin Dia	Latch Span	Material
FT-PL-CL001	1/4"	3/4"	Zinc Alloy/Brass
FT-PL-CL002	1/4"	3/4"	Zinc Alloy/Brass

Model No.	Pin Dia	Latch Span	Material
FT-PL-CL003	1/4"	3/4"	Zinc Alloy/Brass
FT-PL-CL004	1/4"	3/4"	Zinc Alloy/Brass

▼ Adjustable Span Coupler Lock



Model No.	Pin Dia	Latch Span	Material	Finish
FT-TW-AS001	1/4"	1" to 3"	Carbon Steel	Chrome
FT-CT-AS001				Chrome
FT-MT-AS001				Chrome

▼ Universal Coupler Lock Fits 1-7/8" , 2" and 2-5/16" Couplers



Model No. FT-UN-CL001



Model No. FT-UN-CL002



Model No. FT-UN-CL003



Model No. FT-UN-CL004

▼ Lunette Eye Lock Fits all 2-1/2" and 3" Lunette eyes



Model No. FT-LE-CL001



Model No. FT-LE-CL002



Model No. FT-LE-CL003

▼ Swivel Hitch Pin / With Adapter



Model No.	Pin Dia	Effective Length	Material	Finish
FT-SH-HP001	5/8"	3-1/4"	Carbon Steel	Chrome
FT-SH-HP002	1/2" & 5/8"	3-1/4"	Carbon Steel	Chrome

▼ Hitch Pin & Clip



Model No.	Pin Dia	Effective Length	Material	Finish
FT-CL-HP001	1/2"	4"	Carbon Steel	Carbon
FT-CL-HP002	5/8"	3-1/4"	Carbon Steel	Zinc
FT-CL-HP003	5/8"	3-1/4"	Carbon Steel	Zinc



TRAILER HITCHES & BALL MOUNTS

▼ C-Mount Adjustable Hitch



Model No.	Shank	Rise/Drop	Ball Diameter	GTW	Adjustable Span
FT-AH-CM001	2" x 2" / 2.5" x 2.5"	4"	2&2-5/6" or 1-7/8" & 2"	22000lbs	1"
FT-AH-CM002	2" x 2" / 2.5" x 2.5"	6"	2&2-5/6" or 1-7/8" & 2"	22000lbs	1"
FT-AH-CM003	2" x 2" / 2.5" x 2.5"	8"	2&2-5/6" or 1-7/8" & 2"	22000lbs	1"
FT-AH-CM004	2" x 2" / 2.5" x 2.5"	4"	2&2-5/6" or 1-7/8" & 2"	22000lbs	2"
FT-AH-CM005	2" x 2" / 2.5" x 2.5"	6"	2&2-5/6" or 1-7/8" & 2"	22000lbs	2"
FT-AH-CM006	2" x 2" / 2.5" x 2.5"	8"	2&2-5/6" or 1-7/8" & 2"	22000lbs	2"

▼ Aluminum Trailer Hitch



Model No.	Fits Hitch Receiver	Rise/Drop	Ball Diameter	GTW
FT-AH-AL001	2" x 2"	4"	2" & 2-5/16"	8000-12000lbs
FT-AH-AL002	2" x 2"	6"	2" & 2-5/16"	8000-12000lbs
FT-AH-AL003	2" x 2"	8"	2" & 2-5/16"	8000-12000lbs
FT-AH-AL004	2" x 2"	10"	2" & 2-5/16"	8000-12000lbs
FT-AH-AL005	2.5" x 2.5"	4"	2" & 2-5/16"	8000-12000lbs
FT-AH-AL006	2.5" x 2.5"	6"	2" & 2-5/16"	8000-12000lbs
FT-AH-AL007	2.5" x 2.5"	8"	2" & 2-5/16"	8000-12000lbs
FT-AH-AL008	2.5" x 2.5"	10"	2" & 2-5/16"	8000-12000lbs




Model No.	Shank	Rise/Drop	Ball Diameter	GTW
FT-AH-AL009	2" x 2"	6"	2" & 2-5/16"	12500lbs
FT-AH-AL010	2.5" x 2.5"	6"	2" & 2-5/16"	14000lbs

▼ Tow & Stowable Trailer Hitch



Model No.	Shank	Rise/Drop	Ball Diameter	GTW/TW
FT-AH-TS001	2" x 2"	4"	2" & 2-5/16"	12500lbs/1250lbs
FT-AH-TS002	2" x 2"	6"	2" & 2-5/16"	12500lbs/1250lbs
FT-AH-TS003	2" x 2"	8"	2" & 2-5/16"	12500lbs/1250lbs
FT-AH-TS004	2" x 2"	10"	2" & 2-5/16"	12500lbs/1250lbs
FT-AH-TS005	2.5" x 2.5"	4"	2" & 2-5/16"	18000lbs/1800lbs
FT-AH-TS006	2.5" x 2.5"	6"	2" & 2-5/16"	18000lbs/1800lbs
FT-AH-TS007	2.5" x 2.5"	8"	2" & 2-5/16"	18000lbs/1800lbs
FT-AH-TS008	2.5" x 2.5"	10"	2" & 2-5/16"	18000lbs/1800lbs
FT-AH-TS009	2" x 2"	4"	1-7/8" & 2" & 2-5/16"	12500lbs/1250lbs
FT-AH-TS010	2" x 2"	6"	1-7/8" & 2" & 2-5/16"	12500lbs/1250lbs
FT-AH-TS011	2" x 2"	8"	1-7/8" & 2" & 2-5/16"	12500lbs/1250lbs
FT-AH-TS012	2" x 2"	10"	1-7/8" & 2" & 2-5/16"	12500lbs/1250lbs
FT-AH-TS013	2.5" x 2.5"	4"	1-7/8" & 2" & 2-5/16"	18000lbs/1800lbs
FT-AH-TS014	2.5" x 2.5"	6"	1-7/8" & 2" & 2-5/16"	18000lbs/1800lbs
FT-AH-TS015	2.5" x 2.5"	8"	1-7/8" & 2" & 2-5/16"	18000lbs/1800lbs
FT-AH-TS016	2.5" x 2.5"	10"	1-7/8" & 2" & 2-5/16"	18000lbs/1800lbs




▼ Ball Mount



Style	Model No.	Shank	Drop	Rise	Length	Class	Hole	Capacity
	FT-BM-FD001	1-1/4" x 1-1/4"	1-1/4"	3/4"	6-5/8"	I	3/4"	2000lbs/200lbs
	FT-BM-FD002	1-1/4" x 1-1/4"	1-1/4"	3/4"	9-3/4"	I	3/4"	2000lbs/200lbs
	FT-BM-FD003	1-1/4" x 1-1/4"	1-1/4"	3/4"	6-5/8"	I	3/4"	2000lbs/200lbs
	FT-BM-FD004	1-1/4" x 1-1/4"	1-1/4"	3/4"	8-1/2"	I	3/4"	2000lbs/200lbs
	FT-BM-FD005	1-1/4" x 1-1/4"	1-1/4"	3/4"	9-3/4"	I	3/4"	2000lbs/200lbs
	FT-BM-FD006	1-1/4" x 1-1/4"	2-7/8"	2-1/4"	6-5/8"	I	3/4"	2000lbs/200lbs
	FT-BM-FD007	1-1/4" x 1-1/4"	2-7/8"	2-1/4"	7-1/4"	I	3/4"	2000lbs/200lbs
	FT-BM-FD008	1-1/4" x 1-1/4"	2-7/8"	2-1/4"	9-3/4"	I	3/4"	2000lbs/200lbs
	FT-BM-FD009	1-1/4" x 1-1/4"	3-1/4"	2-3/4"	6-1/4"	II	3/4"	3500lbs/350lbs
	FT-BM-FD010	1-1/4" x 1-1/4"	3-1/4"	2-3/4"	7-1/4"	II	3/4"	3500lbs/350lbs
	FT-BM-FD011	1-1/4" x 1-1/4"	3-1/4"	2-3/4"	9-7/8"	II	3/4"	3500lbs/350lbs


Model No.	Shank	Drop	Rise	Length	Class	Hole	Capacity
FT-BM-FD012	2" x 2"	2-1/4"	1"	12"	III	1"	6000lbs
FT-BM-FD013	2" x 2"	2"	3/4"	8-1/2"	III	1"	6000lbs
FT-BM-FD014	2" x 2"	8"	3/4"	10-1/4"	III	1"	6000lbs
FT-BM-FD015	2" x 2"	3-1/4"	2"	8-1/2"	III	1"	5000lbs
FT-BM-FD016	2" x 2"	3-1/4"	2"	10-1/2"	III	1"	5000lbs
FT-BM-FD017	2" x 2"	3-1/4"	2"	10-1/4"	III	1"	5000lbs
FT-BM-FD018	2" x 2"	3-1/4"	2"	12-1/2"	III	1"	5000lbs
FT-BM-FD019	2" x 2"	4"	3"	9"	III	1"	5000lbs
FT-BM-FD020	2" x 2"	4-1/4"	3"	10-1/4"	III	1"	5000lbs
FT-BM-FD021	2" x 2"	4-1/4"	3"	13"	III	1"	5000lbs
FT-BM-FD022	2" x 2"	6"	4-3/4"	10"	III	1"	6000lbs
FT-BM-FD023	2" x 2"	6"	4-3/4"	12-1/4"	III	1"	6000lbs
FT-BM-FD024	2" x 2"	8"	6-3/4"	9-1/8"	III	1"	5000lbs
FT-BM-FD025	2" x 2"	10"	-	10-1/8"	II	1"	3500lbs
FT-BM-FD026	2" x 2"	10"	-	14"	II	1"	3500lbs

▼ Dual Ball Hitch




Model No.	Shank	Ball Size	Capacity
FT-BM-DB001	2"	2"	6000lbs/600lbs
		2-5/16"	10000lbs/1000lbs

▼ Triple Ball Hitch



Model No.	Shank	Ball Size	Capacity
FT-BM-TB001	2"	1-7/8"	2000lbs/200lbs
		2"	6000lbs/600lbs
		2-5/16"	10000lbs/1000lbs

▼ Tri-ball Hitch With Hook



Model No.	Shank	Ball Size	Capacity	Hook
FT-BM-TB002	2"	1-7/8"	2000lbs/200lbs	3"
		2"	6000lbs/600lbs	
		2-5/16"	10000lbs/1000lbs	


▼ Multi-Use Ball Mount



Model No.	Shank	Drop	Rise	Length	Hole Size	Capacity
FT-BM-MU001	2" x 2"	3/4"	2-1/4"	12-1/4"	1"	5000lbs/500lbs

Model No.	Shank	Max Drop	Max Rise	Length	Hole Size	Capacity
FT-BM-MU002	2" x 2"	9-5/8"	8-3/8"	12"	1"	5000lbs/500lbs

▼ ATV Ball Mount



Model No.	Shank	Pin Hole	Ball Size	Capacity
FT-BM-TV001	1-1/4" x 1-1/4"	1/2"	1-7/8"	2000lbs/200lbs
FT-BM-TV002	1-1/4" x 1-1/4"	1/2"	2"	2000lbs/200lbs
FT-BM-TV003	2" x 2"	5/8"	1-7/8"	2000lbs/200lbs
FT-BM-TV004	2" x 2"	5/8"	2"	2000lbs/200lbs

▼ Pintle Hook




Model No.	Capacity	GTW	TW
FT-PH-PH001	5-ton	1200lbs	1200lbs
FT-PH-PH002	10-ton	2400lbs	2400lbs
FT-PH-PH003	5-ton	1200lbs	1200lbs
FT-PH-PH004	10-ton	2400lbs	2400lbs

▼ Ball & Pintle Combination



Model No.	Ball Size	Ball Capacity	Pintle GTW	Pintle TW
FT-PH-CB001	1-7/8"	2000lbs	16000lbs	1600lbs
FT-PH-CB002	2"	7000lbs	16000lbs	1600lbs
FT-PH-CB003	2-5/16"	12000lbs	16000lbs	1600lbs

Model No.	Shank	Ball Size	Ball Capacity	Pintle GTW	Pintle TW
FT-PH-CB007	2"	2"	7000lbs	16000lbs	1600lbs
FT-PH-CB008	2"	2-5/16"	12000lbs	16000lbs	1600lbs



Model No.	Ball Size	Ball Capacity	Pintle GTW	Pintle TW
FT-PH-CB004	1-7/8"	2000lbs	16000lbs	1600lbs
FT-PH-CB005	2"	7000lbs	16000lbs	1600lbs
FT-PH-CB006	2-5/16"	12000lbs	16000lbs	1600lbs

▼ Lunette Ring



Model No.	Shank	Length	Max Capacity	Ring's Diameter
FT-PH-LR001	2"	7-3/8"	10000lbs	3"

Model No.	Max Capacity	Ring's Diameter
FT-PH-LR002	14000lbs	3"

▼ Adjustable Pintle Mount



Model No.	Shank	Shank Length	Adjustable Height	Capacity
FT-BM-PM001	2" x 2"	6-5/8"	4 pairs	10000lbs
FT-BM-PM002	2" x 2"	8-1/4"	4 pairs	10000lbs
FT-BM-PM003	2" x 2"	9-1/2"	7 pairs	10000lbs




TRAILER HITCH BALL



Model No.	Ball Diameter(A)	Shank Diameter(B)	Shank Length(C)	Capacity
FT-TB-58001	1-7/8"	5/8"	1-3/4"	2000lbs
FT-TB-58002	2"	5/8"	1-3/4"	2000lbs
FT-TB-34001	1-7/8"	3/4"	2-1/2"	2000lbs
FT-TB-34002	1-7/8"	3/4"	2-3/8"	2000lbs
FT-TB-34003	1-7/8"	3/4"	2-3/8"	2000lbs
FT-TB-34004	2"	3/4"	2-1/2"	3500lbs
FT-TB-34005	2"	3/4"	2-3/8"	3500lbs
FT-TB-34006	2"	3/4"	3-3/8"	3500lbs
FT-TB-10001	1-7/8"	1"	2-1/8"	2000lbs
FT-TB-10002	1-7/8"	1"	3-3/8"	2000lbs
FT-TB-10003	2"	1"	2-1/8"	6000lbs
FT-TB-10004	2"	1"	3-3/8"	6000lbs
FT-TB-10005	2-5/16"	1"	2-1/8"	6000lbs
FT-TB-141001	2"	1-1/4"	2-3/4"	8000lbs
FT-TB-141002	2-5/16"	1-1/4"	2-3/4"	10000lbs
FT-TB-141003	2-5/16"	1-1/4"	2-1/2"	10000lbs

Standard: SAE J684/V-5



A: Ball diameter
B: Shank diameter
C: Shank length

▼ Trailer Hitch Ball



Standard: AS/NZS 4177

Model No.	Ball Diameter(A)	Shank Diameter(B)	Shank Length(C)	Capacity
FT-TB-78001	50mm	7/8"	62mm	3500Kgs
FT-TB-34001	50mm	3/4"	60mm	2000Kgs
FT-TB-10001	50mm	1"	60mm	3500Kgs

▼ Safety Chain Anchors



Model No. FT-TB-CA001



Model No. FT-TB-CA002

▼ Gooseneck Hitch Ball



Model No.	Ball Diameter(A)	GTW
FT-TB-GN001	2-5/16"	30000lbs
FT-TB-GN002	2-5/16"	30000lbs





TRAILER COUPLERS

▼ Straight Tongue Coupler



Model No.	Ball Size	Channel Width	Class	Capacity
FT-CP-ST001	1-7/8"	2"	I	2000lbs
FT-CP-ST002	1-7/8"	2-1/2"	I	2000lbs
FT-CP-ST003	1-7/8"	3"	I	2000lbs
FT-CP-ST004	2"	2"	II	3500lbs



Model No.	Ball Size	Channel Width	Class	Capacity
FT-CP-ST005	2"	2-1/2"	II	3500lbs
FT-CP-ST006	2"	3"	II	3500lbs

▼ A-Frame Coupler



Model No.	Ball Size	Coupler Type	Class	Capacity
FT-CP-AF001	2"	A-Frame	III	5000lbs
FT-CP-AF002	2-5/16"	A-Frame	IV	10000lbs
FT-CP-AF003	2-5/16"	A-Frame	IV	10000lbs
FT-CP-AF004	2"	A-Frame	III	7000lbs

▼ Channel Mount Coupler



Model No.	Ball Size	Coupler Type	Class	Capacity
FT-CP-CM001	2"	Channel Mount	III	7000lbs
FT-CP-CM002	2-5/16"	Channel Mount	IV	10000lbs
FT-CP-CM003	2"	Channel Mount	III	7000lbs
FT-CP-CM004	2-5/16"	Channel Mount	IV	10000lbs



Model No.	Ball Size	Coupler Type	Class	Capacity
FT-CP-AC001	2"	Channel Mount	IV	8000lbs
FT-CP-AC002	2-5/16"	Channel Mount	IV	14000lbs

▼ Height-adjustable Bracket




Description	Hole Size	Distance	Channel Width	Capacity
8 Holes	5/8"	2"	3"	16000lbs
12 Holes	5/8"	2"	3"	16000lbs
12 Holes	5/8"	2"	3"	16000lbs






HITCH EXTENSIONS & ADAPTERS

▼ Hitch Adapter



Model No.	Adapts From	Adapts To	Length	GTW/TW
FT-EA-HA001	1-1/4" x 1-1/4"	2" x 2"	6"	3500lbs/350lbs
FT-EA-HA002	2" x 2"	1-1/4" x 1-1/4"	6"	3500lbs/350lbs



Model No.	Adapts From	Adapts To	Hole
FT-EA-HA003	2-1/2" x 2-1/2"	2" x 2"	5/8"

Model No.	Adapts From	Adapts To	Hole
FT-EA-HA004	3" x 3"	2-1/2" x 2-1/2"	5/8"

▼ Hitch Extension



Model No.	Adapts From	Length	GTW/TW
FT-EA-HE001	2" x 2"	7"	3500lbs/350lbs

Model No.	Adapts From	Length	GTW/TW
FT-EA-HE002	2" x 2"	12"	3500lbs/350lbs



Model No.	Shank	Length	Drop/Rise	Capacity
FT-EA-HE003	2" x 2"	7" and 9"	2"	7500lbs
FT-EA-HE004	2" x 2"	8" and 10"	4"	7500lbs
FT-EA-HE005	2" x 2"	8.5" and 10.5"	6"	7500lbs

▼ Dual Hitch Extension



Model No.	Shank	Overall Length	Top to Bottom	Center to Top	GTW/TW
FT-EA-EA001	2" x 2"	17-1/4"	3-5/8"	7-1/2"	4000lbs/400lbs

▼ RV Bumper



Model No.	Receiver Size	Size	Capacity
FT-EA-RB001	2" x 2"	4" x 4"	3500lbs

